

IN THE UNITED STATES PATENT AND TRADEMARK  
OFFICE  
REQUEST FOR FILING  
(RULE 53(b)(1))

jc685 U.S. PTO  
08/15/00

Pa 1 of 4  
JC531 U.S. PTO  
09/638394  
08/15/00

For Design or Utility Applications

Rule 53(b)(1) PATENT APPLICATION:

☒ Continuation )  
application under 37 CFR 1.53(b)(1)  
☐ Divisional )  
application under 37 CFR 1.53(b)(1)  
of pending prior application of

(DO NOT USE FOR CIPs)

Group Art Unit: 2742

Examiner: J.Chiang

Inventor(s): BENSON, Keith

Parent Appln. No.: 08 782,244

Atty. Dkt. PM 268484

Series Code ↑

Serial No. ↑

New M#

Client Ref

Parent Filed: JANUARY 14, 1997

This Appln. Filed: AUGUST 15, 2000

Title: IMPROVEMENTS RELATING TO MOBILE PHONES

Hon. Commissioner of Patents  
Washington, DC 20231

Date: August 15, 2000  
(Parent Matter No. 268482 )

Sir:

To effect the above-requested filing today:

**Attached** is a copy (**which must be filed**) of the prior application, including:

- ☒ Abstract  
☒ Specification and claims (16 pages) (**must be attached**)  
☒ Drawings (**must be attached if originally filed**): 12 sheet(s)/set: ☐ 1 set informal;  
☒ Formal of size ☐ A4 ☒ 11"

Always X one box, only:

- (1) ☒ Copy of Signed declaration or oath as originally filed in prior application attached  
(2) ☐ NO declaration or fee is enclosed; therefore, this is a filing under Rule 53(f).

2. ☐ This application is hereby filed by less than all of the inventors named in the prior application. Petition is hereby made requesting deletion as inventor(s) of the following who is/are **not** inventor(s) of the invention being claimed in this application (**DELETE THE FOLLOWING INVENTOR(S)**):

1. _____	2. _____
3. _____	4. _____
5. _____	6. _____
7. _____	8. _____

- 2.5 THE INVENTOR(S) FOR THIS NEW APPLICATION IS(ARE):

1. _____	2. _____
3. _____	4. _____
5. _____	6. _____
7. _____	8. _____

3. The entire disclosure of the prior application is considered as being part of the disclosure of the accompanying application and is hereby incorporated therein by reference thereto.

4. ☒ Priority is claimed under 35 U.S.C. 119/365 based on filing in AUSTRALIA of \_\_\_\_\_  
(country)
- |     | <u>Application No.</u> | <u>Filing Date</u>  |     | <u>Application No.</u> | <u>Filing Date</u> |
|-----|------------------------|---------------------|-----|------------------------|--------------------|
| (1) | <u>7551/96</u>         | <u>15 JAN. 1996</u> | (2) | _____                  | _____              |
| (3) | _____                  | _____               | (4) | _____                  | _____              |
| (5) | _____                  | _____               | (6) | _____                  | _____              |
- a. ☐ \_\_\_\_\_ (No.) Certified copy/copies attached.  
b. ☒ Certified copy/copies previously filed on March 11, 1997 in \_\_\_\_\_  
U.S. Application No. 08/782,244, filed on January 14, 1997.  
series code  $\uparrow$   $\uparrow$  serial no.  
c. ☐ Certified copy/copies filed during International stage of PCT/ \_\_\_\_\_ / \_\_\_\_\_.  
4. (a) ☐ Domestic priority is claimed from \_\_\_\_\_ / \_\_\_\_\_, filed \_\_\_\_\_.  
PCT/  
(b) ☐ Benefit is claimed of Provisional Application No. 60/\_\_\_\_\_, filed \_\_\_\_\_.  
5. ☒ Prior application is assigned to FUNGE SYSTEMS INC.  
by assignment recorded FEBRUARY 28, 2000 Reel 010649 Frame 0324.  
(Date)  
6. ☒ Attached is the following number of Assignments (including original and all later successive ones by  
different assignors): 3 and respective **new** Cover Sheets. (Do **NOT** file old cover sheets.)  
(Assignments in parent **must be refiled** with new Cover Sheets in this continuing application if you  
want it/them recorded against the continuing application.)  
Please return the recorded Assignment to the undersigned.  
☐ The power of attorney in the prior application is to \_\_\_\_\_  
(Name and Reg. No.)  
whose current address is as in item 8 below.  
a. ☐ Recognize as associate attorney \_\_\_\_\_  
(Name, Reg. No. and Address)  
8. **Address all future communications to Intellectual Property Group  
of Pillsbury Madison & Sutro LLP, Ninth Floor, East Tower 1100 New York Avenue, N.W.,  
Washington, D.C. 20005-3918**  
9. ☐ **Amend the specification** by inserting before the first line the sentence:--This is a  
☒ continuation ☐ division of Application No. 08/782,244, filed JANUARY 14, 1997  
series code  $\uparrow$   $\uparrow$  serial no.  
PENDING ---  
9. (a) ☐ **Amend the specification** by inserting before the first line: --This application claims the benefit of  
Provisional Application No. 60/\_\_\_\_\_, filed \_\_\_\_\_.--  
10. ☒ It has been recently determined that this new continuing application is entitled to small entity status.  
Hence:  
(No.) Verified Statement(s) establishing "small entity" status under Rules 9 & 27 were/are:  
☐ filed in above prior application (and hence applicable hereto)  
☒ attached.  
11. Petition to extend the life of the above prior application to at least the date hereof  
(one box) ☐ is being concurrently filed in that prior application (Use Form PAT-111).  
(must be) ☐ was previously filed in that prior application (Check length of prior extension).  
(X'd) ☒ is not necessary for copendency (**Double check** before X'ing this box).



26. **ADDITIONAL FEE CALCULATION FOR  
PRELIMINARY AMENDMENT  
PER BOXES 24/25**

	Claims remaining after amendment	Highest number previously paid for	Present Extra	Additional Fee	
					<u>Large/Small Entity</u> <u>File Code</u>
27.	Total Effective Claims *	minus ** 20	= 0 x \$18/\$9	= \$ 0	(103/203)
28.	Independent Claims *	minus *** 3	= 0 x \$78/\$39	= + 0	(102/202)
29.	If amendment enters proper multiple dependent claim(s) into this application for the first time, add (per application) . . . . . \$260/\$130			+ 0	(104/204)
30.	ADDITIONAL FEE			\$ 0	
31.	plus FEE from item 22 on page 3			+	
32.	<b>TOTAL FEE ATTACHED</b>			<b>\$ 673</b>	

33. \*If the entry in this space is less than a entry in the next space, the "Present Extra" result is "0"

34. \*\*If the "Highest number previously paid for" (see item 17 above) is less than 20, write "20" in this space

35. If the "Highest number previously paid for" (see item 18 above) is less than 3, write "3" in this space

Our Deposit Account No. 03-3975

Our Order No.	20606	268484
	C#	M#

**CHARGE STATEMENT:** Upon the filing of a Declaration pursuant to Rule 60(b) or 60(d), the Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 16-18 (missing or insufficient fee only) now or hereafter relative to this application and the resulting Official document under Rule 20, or credit any overpayment, to our Account/Order Nos. shown above for which purpose a duplicate copy of this sheet is attached.

**This CHARGE STATEMENT does not authorize charge of the issue fee until/unless an issue fee transmittal form is filed.**

**Pillsbury Madison & Sutro LLP  
Intellectual Property Group**

1100 New York Avenue, NW  
Ninth Floor  
Washington, DC 20005-3918  
Tel: (202) 861-3000  
KHC/amp  
Atty./Sec.

By Atty: Kendrew H. Colton

Reg. No. 30368

Sig: 

Fax: (202) 822-0944

Tel: (202) 861-3606

**NOTE No. 1:** File this Request in duplicate with 2 postcard receipts (PAT-103) & attachments

**NOTE No. 2:** Is extension in parent necessary for copendency? DOUBLE CHECK Item 11 above.  
If yes, printout Pat-111 and head it in parent.

Filed: January 14, 1997 or Issued:   
Title: IMPROVEMENTS RELATING TO MOBILE PHONES

M# / Client Ref.

SMALL ENTITY STATEMENT CLAIMING SMALL ENTITY STATUS  
(37 CFR 1.9(d) and 1.27 (c)) - SMALL BUSINESS CONCERN

I hereby state that I am

- ☐ the owner of the small business concern identified below:  
☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN FUNGE SYSTEMS INC.ADDRESS OF CONCERN: 8000 Towers Crescent Drive, Suite 1350, Vienna, VA 22182

I hereby state that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby state that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention entitled: IMPROVEMENTS RELATING TO MOBILE PHONES by inventor(s) Kaith Benson described in

- x → ☒ the specification filed herewith.  
one → ☒ Application No. 08/782,244, filed January 14, 1997  
box → ☐ Patent No.     , issued

If the rights held by the above identified small business concern are not exclusive, each small entity individual, concern or organization having rights to the invention is listed in (A) and (B) below and no rights to the invention are held by any person, other than the inventor, who could not qualify under 37 CFR 1.9(c) as an independent inventor if that person had made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

(A) FULL NAME of assignee/licensee/grantee/conveyee:  
ADDRESS

☒ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

(B) FULL NAME of assignee/licensee/grantee/conveyee:  
ADDRESS


☒ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

\*NOTE Separate statement is required from each person, concern or organization named in (A) and (B) above having rights to the invention, averring to his/her/its status as a small entity (37 CFR 1.27)

I acknowledge the duty to file, in this case, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate (37 CFR 1.26(b))

NAME OF PERSON SIGNING Gregory D. HaightTITLE OF PERSON OTHER THAN OWNER Vice President/General CounselADDRESS OF PERSON SIGNING 8000 Towers Crescent Drive, Suite 1350, Vienna, VA 22182

SIGNATURE



DATE

8/15/02

Applicant or Patentee: NEWCOM TECHNOLOGIES PTY. LTD. Attorney's Docket No. \_\_\_\_\_

Serial or Patent No: \_\_\_\_\_

Filed or Issued: \_\_\_\_\_

For: IMPROVEMENTS RELATING TO MOBILE PHONES

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY  
STATUS (37 CFR 1.9 (f) and 1.27 (c) - SMALL BUSINESS CONCERN

I hereby declare that I am

☐ the owner of the small business concern identified below:

☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN NEWCOM TECHNOLOGIES PTY. LTD.

ADDRESS OF CONCERN 25 GRENFELL STREET, ADELAIDE, SOUTH AUSTRALIA, 5000  
AUSTRALIA

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9 (d), for purposes of paying reduced fees under section 41 (a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled IMPROVEMENTS RELATING TO MOBILE PHONES

by inventor(s) KEITH BENSON described in

☒ the specification filed herewith

☐ application serial no. \_\_\_\_\_, filed \_\_\_\_\_

☐ patent no. \_\_\_\_\_, issued \_\_\_\_\_

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having the rights to the invention is listed below\* and not rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9 (d) or by any concern which would not qualify as a small business concern under 37 CFR 1.9 (d) or a nonprofit organization under 37 CFR 1.9 (e).

\*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

☐ Individual ☐ Small Business Concern ☐ Nonprofit Organization

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate (37 CFR 1.28 (b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING GEORGE HINIC

TITLE OF PERSON OTHER THAN OWNER DIRECTOR

ADDRESS OF PERSON SIGNING 68 Young St, PARKSIDE SA 5063

SIGNATURE G Hinic DATE 13/12/96

Variable	Mean		SD		t		p	
	Control	Case	Control	Case	Control	Case	Control	Case
Age	30.5	30.5	10.5	10.5	0.0	0.0	0.999	0.999
Gender	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Education	12.0	12.0	1.0	1.0	0.0	0.0	0.999	0.999
Income	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Marital status	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Occupation	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Religion	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Health status	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Family size	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Urban/rural	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Season	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Weather	1.0	1.0	0.0	0.0	0.0	0.0	0.999	0.999
Time of day	1.0	1.0	0.0	0.0	0.0</			

☐ Provisional Application

☐ Regular Utility Application

☒ Continuing Application

☐ The contents of the parent are incorporated by reference

☐ PCT National Phase Application

☐ Design Application

☐ Reissue Application

☐ Plant Application

☐ Substitute Specification

☐ Sub. Spec Filed \_\_\_\_\_  
in App. No. \_\_\_\_\_ / \_\_\_\_\_

☐ Marked up Specification re  
Sub. Spec. filed \_\_\_\_\_  
In App. No. \_\_\_\_\_ / \_\_\_\_\_

This invention relates to digital mobile phones.

It is conventional in a digital mobile phone that there is a removable subscriber identification module in the form of a card which is fitted into an internal holder.

- 5 Such a module which shall hereinafter be referred to as a "subscriber identification module card" is a user replacement module for use by a commercial entity providing a network to ensure that the digital phone is connected to the commercial entities network.

- 10 It is possible for a user to have the subscriber identification module card of one commercial network provider as well as the subscriber identification module card of its competitor.

However, in phones currently available, the card is not readily accessible for removal and replacement with an alternate subscriber identification module card.

- 15 It can be achieved but, taking at least one instance, for instance, the currently available Nokia 2110 digital phone, to replace the subscriber identification module card of one network and replace it with another, the battery has to be removed, a first external cover has to be pulled out, and an interlocking bracket must be operated to release the locking position of a pivotal support  
20 which is pushed into the release position. It is then still a matter of manipulation to be able to remove the subscriber identification module card from the holder.

- The actions required mean that the phone has to be turned off so that if one wants to change networks, one then has to go through the additional  
25 procedures of closing the phone down, and then starting the phone up again.

At the present time, digital networks are not co-extensive and further, the costs of accessing or using one network as compared to another vary considerably so that there is considerable advantage to an end user to be able to choose



the network,

- a) upon being within the range of a particular network or being in a position to better be able to receive a particular signal, and
- b) alternatively that the price of a call from one network may be quite different to the price of another.

It is currently possible with the same phone to do this but with the effort involved in having to change over subscriber identification module cards, most people will either not consider doing so or will not be bothered in most cases.

- 10 The disadvantage of this is that one network provider which wishes to actively compete with other network providers, might then be at a considerable disadvantage because despite providing best prices, their network might not be quite as extensive and they therefore cannot persuade a phone user to use their network because the decision is made on the basis of both access and cost.

- 15 What I propose is a solution to this problem which will have particular value to a commercial network provider especially if they do not have such an extensive range and it will provide substantial advantages to users because it will enable them to make a better choice without as many of the current implicit difficulties.

- 20 According to one form of this invention there is provided a mobile <sup>phone</sup> of the type having a subscriber identification module wherein there are provided at least two subscriber identification modules and switch means accessible to the user and adapted for the user to select one or other of the modules.

- 25 In preference there is proposed that there is an external holder attachable to an existing mobile digital phone and adapted to take at least two subscriber identification module cards, switch means to provide access to any one of the subscriber identification module cards held in the external holder and means connecting such connected external subscriber identification module card electrically to a subscriber identification module take-off adaptor adapted to be

located within an existing internal subscriber identification module card holder of the digital mobile phone.

In a further form the invention can be said to reside in a digital mobile phone of a type having a user removable subscriber identification module card within an internal holder, characterised in that there is within the internal subscriber identification module card holder a take-off card having electrical contacts replicating any subscriber identification module card that would otherwise be therein, and connecting to electrical connections for electrical connection in the phone and having a wire take-off for each subscriber identification module connection, the wire take-off in each case extending to an outside of the body of the mobile phone to an external subscriber identification module card holder, the external subscriber identification module card holder being adapted to hold at least two subscriber identification module cards each having its electrical connections connected to the corresponding wire take-offs connected to the take-off card, and having a switch therewith adapted to change effective active connection from one of the subscriber identification module cards in the external card holder to a second of the subscriber identification module cards in the external card holder.

In another form of this invention this can be said to reside in a digital mobile phone of a type having a user removable subscriber identification module card within an internal subscriber identification module card holder, a take off card having a wire take-off for each subscriber identification module connection within the holder the wire take-off adapted to extend through to an outside of the body of the mobile phone to an external subscriber identification module card holder attached to the phone casing, the external subscriber identification module card holder being adapted to hold at least two subscriber identification module cards with each having its electrical connections connected to the corresponding wire take offs connected to the wire take-off, and having a switch therewith to change effective active connection of the wire take offs from a first of any subscriber identification module cards in the external card holder to a second or other of any subscriber identification module cards in the external card holder.

One of the difficulties with such an arrangement, however, is the question of how one provides such electrical connections from the internal parts of the

phone to an external subscriber identification module card holder.

I have carefully examined each of the mobile digital phones currently on the market and I have found that in each case, it is possible to provide a connection using very thin wires in some cases of less than 0.3 mm thickness  
 5 by having the thin wires follow a path beneath the covers and around corners to the external subscriber identification module cardholder.

In preference the external subscriber identification module card holder will be adhered in an appropriate way to the body of an existing digital phone and the switch would in preference be a mechanical switch.

10 Further, in preference, within the external card holder, there can be additionally provided electronically accessible memory and programmed software in the memory to provide additional functions as far as the digital mobile phone is concerned.

15 For instance, it is proposed in preference that such logic would examine through its connections with the digital phone, the best accessible network connection to be used, and also the best from a point of view of cost.

In such a case, there can be the additional feature of an electronics switch operated by the logic so that the user of the phone no longer has to make a decision as to which network to choose but this will be made on the basis of  
 20 either cost or best signal as the case might be which can be previously selected for the logic to choose.

Further, there can in fact be additional memory to have additional recording of audio signals and any number of additional features can then be incorporated within or connected to the external module to be joined with the functions of  
 25 the digital phone.

Further in preference there is provided that the wire take-offs are together an integrated flexible circuit board where there is a substrate, a laid conducting track for each circuit on the substrate and an overlay coating.

005722-1633360

In preference the substrate is comprised of polyester plastics material.

In preference the conducting tracks are copper with gold contact surfaces.

What now will be seen to be the case in preference is that there is a digital mobile phone of a type using a subscriber identification module, the improvement being that there is an externally attached holder for at least two subscriber identification modules so that either can be readily selected by a switch for use in the same phone.

Further in preference there are flexible circuits that can be used to connect electrical contacts used conventionally for reading a subscriber identification module by the phone inside the phone that are able to slip through gaps that are naturally occurring between protective covers of the phone because of necessary manufacturing tolerances so that the external subscriber identification modules can be connected without prejudicing manufacturers warranties on any phone.

For a better understanding of this invention it will now be described by reference to preferred embodiments which will be described with the assistance of drawings wherein:

Figure 1 is a perspective view of a digital phone according to a first embodiment where the illustration shows a phone with battery and SIM card holder removed and showing a conducting track shaped to follow a path to a switch at the top of the phone,

Figure 2 is a perspective view of the top of the phone as shown in Figure 1

Figure 3 is a further perspective view as shown in Figures 1 and 2 from a top of the phone, however, with the switch changed in position from a first position to a second position, and with a battery in position,

Figure 4 is the same phone as in Figures 1, 2 and 3 and illustrates a further view of this according to the first embodiment,

Figure 5 is a view of a second phone according to a second embodiment where the illustration shows a perspective view with a Subscriber Identification Module (SIM card) cover in an open position and battery removed, and a track from a take off card replacing a Subscriber Identification Module,

Figure 6 is a view of the same phone from the same position as shown in Figure 5 except a wire take off is shown in full with the shape of the phone in dotted outline,

Figure 7 is a view of the same phone as in Figures 5 and 6 with however a SIM card holder in an opened position about to take a take off card replacing a SIM card preparatory to locating the wire take off in the path to an external switch attached to the phone,

Figure 8 is a perspective view of a phone according to a third embodiment wherein this case, the battery is removed to assist in seeing the features, and a switch is attached to the back of the phone connecting to the Subscriber Identification Module in this case,

Figure 9 is a cross sectional view according to a fourth embodiment the internal parts of the phone being shown schematically as simply cross hatched where of course there are functional electronic components within the phone which are of not direct relevance to the invention, the illustration showing the path of a flexible track in this case,

Figure 10 is a cross sectional view similar to Figure 9 of a further phone wherein this case the battery is also shown connected but wherein the internal details of the battery are shown simply as cross hatched for sake of simplicity,

Figure 11 is a cross sectional view in schematic form of the embodiment generally shown in Figure 8,

Figure 12 is a perspective view of a further embodiment where the switch in this case is shown being connected to a flip lid on a phone and the track in this case is connecting through a flexible connection,

Figure 13 is a further view of the same phone as in Figure 12,

Figure 14 is a plan view of a flexible track according to a typical layout,

Figure 15 is a perspective view of the arrangement as shown in Figure 14 of the track,

5 Figure 16 is a cross sectional view along the lines of 16,

Figure 17 is an exploded view of the components of switch means connecting to a flexible wire take off track,

Figure 18 is a cross sectional view of the assembled switch means as shown in Figure 17 in the exploded view,

10 Figure 19 is an opposite cross sectional view of the same switch as shown in Figure 18, and

Figure 20 is an end elevation of the switch as shown in Figures 18 and 19 and in the exploded view in 17.

Now referring in detail to the drawings, and in particular to Figures 1, 2, 3 and  
15 4, the phone in this case 1 is a typical of a currently manufactured digital phone having control buttons on its front at 2, microphone at 3, sound output at 4 and a visual display at 5.

At the back of this phone, there are provided means to hold a Subscriber Identification Module which uniquely identifies a subscriber to a provider of a  
20 digital communications service.

In this case, with battery removed as particularly shown in Figure 1, a flexible track 6 is formed initially in a planar shape and is assembled so as to have a polyester substrate, a track deposited into an etched channel within the polyester substrate to provide for conduction along the track, and a coating  
25 over this again of a polyester plastics material.

This is chosen so that the material itself will firstly be sufficiently flexible to be able to be subsequently shaped so as to follow very closely a somewhat tortuous path that will be necessary to convey electrical wire connections from a take off card 7 the connections of which then pass appropriately around corners such as at 8, 9, 10 and 11, firstly so that they can be firmly held in position by adhering to the surface of the material over which they pass and then secondly so that they are sufficiently thin so as not to interfere with interconnecting components that will otherwise have to be relocated in position.

10 The track also diverts from one linear direction through a diagonal orientation to another lineal direction at 12.

Finally the track connects into switch 13.

The switch 13 includes means to hold two Subscriber Identification Modules. By reason of a change in position of the switch 13 from in this case (1) to (2) the effective active electrical connections connected by reason of the take off card 7 will therefore be effectively changed. It will now be seen that by the attachment to the phone 1 of such an electrically conducting track this allows for the user to choose at least one of either of two Subscriber Identification Modules by the simplest of actions. Such an action will not of itself also require the phone to be switched off and the user can therefore quickly check whether there is service to be provided by one or other of the providers for which the SIM cards are in place.

Further, by reason that the electrical track is of a total thickness of approximately six thousandths of an inch, (this may be within the range of four thousands of an inch to eight thousandths of an inch,) this will not of itself in any cases so far established interfere with any of mechanically interlocking parts that will subsequently have to be reconnected such as a cover plate or a battery connection in an existing mobile phone.

I will now refer to a remainder of telephones and to examples of shapes of track which will be effective, but in general, it will now be seen that it appears that any commercially available digital phone using a Subscriber Identification

Module can be appropriately modified to have this additional advantageous feature.

For instance, let us look at the embodiment illustrated in Figures 5, 6 and 7. In this case the phone 14 is of a type which has a separate compartment for the  
5 SIM card which can only be opened subsequent to a battery being removed.

Accordingly, the compartment shown at 15 is accessible by opening a sliding cover 16 which in Figure 5 for instance and in Figure 7 is shown in the open position.

10 A Subscriber Identification Module is intended to be held in a holder at 17 which of itself is pivotally supported at 18.

As shown then, according to this embodiment, a take off card at 18 is inserted in the SIM holder 17 and such then that the electrical contacts at typically 19 will engage against the appropriate electrical connectors of the phone at 20.

15 The thin track, again of a thickness of approximately six thousandths of an inch, and comprised of two layers of polyester plastics material, is carefully shaped to then be positioned on the back of the holder 17 and then tracked out from the compartment across an edge at 21 to a switch at 22.

20 Again in this case then there is able to be connected the SIM card take off electrical connections to separate and therefore easily accessible switch means at 22.

The track in this case is also adhered to an external surface of a body of the phone to keep this in a protected position.

Now referring to the drawing at Figure 8, this is a third embodiment and is the illustration of a most recent model of digital phone with in this case a battery  
25 being removed but as can be seen, there is an electrical take off card at 23 which is held in position by a slideable catch at 24 and in this case then electrical connections are run through a pathway as shown at 24 which then



track around outer surfaces of the body until they meet the switch at 25 which has a visual window at 26 to indicate which one of two SIM cards has been chosen. There is an end switch member at 27 by which switching is achieved.

- 5 In this case also, the track 24 is adhered to the surface of the phone and by reason of its thinness and its material structure such that its substrate and cover is of polyester plastic materials, it is able to follow closely corners of the track with very small radius without fracture. The track is adhered to the surface of the phone casing to assist in long term stability and mechanical support. In this case, there is also provided an over cover protective coating also adhered across the track and to the casing at both sides of the track.

Figure 9 shows somewhat schematically the way in which the electrical track is located to extend between take off card at 28 and switch at 29.

- 15 The card 28 is held so that its conducting face will electrically connect with connectors such as (30 and then the track of the conducting layers will then follow as shown at 31 for instance until it reaches the switch means 29 where the track itself is folded into a circuitous shape so that respective Subscriber Identification Modules shown at 32 in the one case and (33 in the other will in each case have their oppositely directed electronic parts accessible for electrical connection to the track.

This is shown in a further instance in Figure 10 where the track 34 passes from a take off at 35 to switch means at 36 with two Subscriber Identification Modules at 37 and 38 being adapted to be in electrical contact with their effective active connections.

- 25 A further example of this is in Figure 11 where again track 39 is shown to very closely follow an external shape of the phone body at 40 noting that the general cross hatching is schematic only. In this case again, battery at 41 then can be shown to leave quite clear at 42 any contact or need to squeeze the track 39.

- 30 The track in this case again is of six thousandth of an inch total thickness and

the tolerance or clearance between the respective mating members such as the battery. The housing will allow for an even larger thickness therebetween before there is interference with any effective action of the battery being relocated or being placed in position.

- 5 There is a switch, in this case again at 43 with the Subscriber Identification Modules at 44 and 45. There is a take off at 46.

Referring now to Figures 12 and 13, the difference here is that this is an embodiment applying to a so called "flip phone".

- 10 In this case, there is a cover shown at 47 which can be opened to reveal a keypad and also to provide a microphone position.

- 15 In this case however, a switch means at 48 can be located on the outer surface of the cover 47 and a flexible track at 49 can be allowed to stay clear of being adhered throughout to the cover 47. This allows for a hinging flexible action of the flexible track with a larger radius so that the track which is only six thousandth of an inch thickness can more readily allow for repeated hinging, without undo metal fatigue of the track materials.

Not shown is a connection of the track to an appropriate internal Subscriber Identification Module provided by the manufacturer.

- 20 Figure 12 illustrates the fact that in this case, the Subscriber Identification Module is of a larger size such as the size of traditional credit card shown at 50 but here again it works in the same way as those applications previously described.

- 25 We now refer to Figures 14 and 15. These Figures show specifically a typical track comprised of the dual laminate of polyester plastics materials and the inlaid copper track.

There are at a take off location at 51 electrical contact points shown typically at 52 and 53 which are in turn, coated with an appropriate long lasting material

such as gold or iridium and these are left open for electrical contact purposes.

At the switch, contact with respective Subscriber Identification Modules is achieved by folding over the track and accordingly the track itself has two sets of electrical contactors shown at 54 in the one case and 55 in the other. There are breaks in the circuit shown at 56 so that an electrical contactor can variously connect connections say to the take off connectors at 58 in the one case or the connectors at 59 for connection to the contactors at 58 in the other.

The way this works is shown more generally at Figure 17.

Accordingly, referring to Figure 17, a track at 60 is folded over generally into an "S" shape so that upper most there are switch connectors at 61, 62 and 63, and such that two Subscriber Identification Modules at 64 and 65 will each fit in a slot shown at 66 so that both an upper and lower face of the two SIM cards will therefore present their electrically open contact surfaces.

An electrical contact plate at 67 is held under the pressure of a foam pad 68 within switch operative plate 69 and such that respective electrical connections will bridge either between the contacts of 61 and 62 in the one case or 62 and 63 in the other and thereby bring into active connection the module either 64 in the one case or 65 in the other.

There is a housing at 71 and a cover at 72 to hold all of these pieces together. When assembled, the switch has a cross sectional view as shown in Figures 18 and 19 from where it will be seen that the track 60 will be caused to bend tightly back on itself at 73 providing an uppermost surface by which the electrical connections at 67 can then effectively contact and bridge across the appropriate contact surfaces.

This then illustrates how the invention can be put into practice in various modes.

From the description, it will be seen that there can be provided in a very effective way to substantially all of the mobile digital phones that are known to exist means to significantly improve these for access by the user in respect of

providing alternate providers at the whim of the user. Such a modification can be economically prepared and provided, and can be installed very simply by appropriate people. It will not provide any interference to conventional enjoyment or the size or location of any digital mobile phone currently available.

With conventionally engineered plastic covers there has been found to be ample gaps of sufficient size to slip electrical track there through and this enables connections to be made which do not rely in the slightest on any manufacturers approval because the inner electrical components are not prejudiced and warranties will therefor not be affected.

At the same time this gives significant advantage to a consumer who can then simply and cheaply expand functions of a phone both by reason of easy alternative SIM card access and other logic connections.

## CLAIMS

- 1 A digital mobile phone of a type having a subscriber identification module wherein there are provided at least two subscriber identification modules and switch means accessible to the user and adapted whereby the user changes the switch from one position to another of the switch positions can select a one or other of the modules.
- 5
- 2 An external holder attachable to an existing mobile digital phone and adapted to take at least two subscriber identification module cards, switch means to provide access to any one of the subscriber identification module cards held in the external holder and means connecting such connected external subscriber identification module card electrically to a subscriber identification module take-off adaptor located within the existing internal subscriber identification module card holder of the digital mobile phone.
- 10
- 3 A digital mobile phone of a type having a user removable subscriber identification module card within an internal holder characterised in that there is within the internal subscriber identification module card holder a take off card replacing any subscriber identification module therein and connecting to electrical connections for electrical connection of the subscriber identification module card to the phone and having a wire take-off for each subscriber identification module connection the wire take-off extending through to outside of the body of the mobile phone to an external subscriber identification module card holder, the external subscriber identification module card holder being adapted to hold at least two subscriber identification module cards with each having its electrical connections connected to the corresponding wire take offs connected to the wire take-off, and having a switch therewith to change effective active connection of the wire take offs from a first of any subscriber identification module cards in the external card holder to a second or other of any subscriber identification module cards in the external card holder.
- 15
- 20
- 25

4 For a digital mobile phone of a type having a user removable subscriber  
 identification module card within an internal subscriber identification module  
 card holder, a take off card having a wire take-off for each subscriber  
 identification module connection within the holder the wire take-off adapted to  
 5 extend through to an outside of the body of the mobile phone to an external  
 subscriber identification module card holder attached to the phone casing, the  
 external subscriber identification module card holder being adapted to hold at  
 least two subscriber identification module cards with each having its electrical  
 connections connected to the corresponding wire take offs connected to the  
 10 wire take-off, and having a switch therewith to change effective active  
 connection of the wire take offs from a first of any subscriber identification  
 module cards in the external card holder to a second or other of any  
 subscriber identification module cards in the external card holder.

5 A digital mobile phone of a type having a user removable subscriber  
 15 identification module card within an internal holder, characterised in that there  
 is within the internal subscriber identification module card holder a take-off  
 card having electrical contacts replicating any subscriber identification module  
 card that would otherwise be therein, and connecting to electrical connections  
 for electrical connection in the phone and having a wire take-off for each  
 20 subscriber identification module connection, the wire take-off in each case  
 extending to an outside of the body of the mobile phone to an external  
 subscriber identification module card holder, the external subscriber  
 identification module card holder being adapted to hold at least two subscriber  
 identification module cards each having its electrical connections connected  
 25 to the corresponding wire take-offs connected to the take-off card, and having  
 a switch therewith adapted to change effective active connection from one of  
 the subscriber identification module cards in the external card holder to a  
 second of the subscriber identification module cards in the external card  
 holder.

30 6 Any one of the preceding claims 2 through 5 further characterised in  
 that the wire take offs are together an integrated flexible circuit board where  
 there is a substrate, a laid conducting track for each circuit on the substrate  
 and an overlay coating.





The invention is directed to a digital mobile phone of a type using a subscriber identification module, the improvement being that there is an externally attached holder for at least two subscriber identification modules so that either can be readily selected by a switch for use in the same phone. There are also described flexible circuits that are used to connect the electrical contacts used conventionally for reading a subscriber identification module by the phone inside the phone that are able to slip through gaps that are naturally occurring between protective covers of the phone because of necessary manufacturing tolerances so that the external subscriber identification modules can be connected without prejudicing manufacturers warranties on any phone.



5



10




005780" 46E2E960














FIG 8


FIG 9



005732-16E2E960


FIG 10







005730"15E3E960






FIG 14




FIG 15




FIG 16







FIG 17

005780" 46E3E360



**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: **IMPROVEMENTS RELATING TO MOBILE PHONES**

the specification of which is ☒ attached and/or ☐ was filed on ..... as Application Serial No. .... and was amended on (if applicable) .....

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE OF FILING	PRIORITY CLAIMED UNDER 35 U.S.C. 119
AU	PN7551	15th January 1996	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO


I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION NUMBER	DATE OF FILING	STATUS (Patented, Pending, Abandoned)

I hereby appoint the following attorneys to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: Finnegan, Henderson, Farabow, Garrett and Dunner, Reg. No. 22,540; Douglas B. Henderson, Reg. No. 20,291; Ford F. Farabow, Jr., Reg. No. 20,630; Arthur S. Garrett, Reg. No. 20,338; Donald R. Dunner, Reg. No. 19,073; Brian G. Brunsvold, Reg. No. 22,593; Tipton D. Jennings, IV, Reg. No. 20,645; Jerry D. Voight, Reg. No. 23,020; Laurence R. Hefter, Reg. No. 20,827; Kenneth E. Payne, Reg. No. 23,098; Herbert H. Mintz, Reg. No. 26,691; C. Larry O'Rourke, Reg. No. 26,014; Albert J. Santorelli, Reg. No. 22,610; Michael C. Elmer, Reg. No. 25,857; Richard H. Smith, Reg. No. 20,609; Stephen L. Peterson, Reg. No. 26,325; John M. Romary, Reg. No. 26,331; Bruce C. Zotter, Reg. No. 27,680; Dennis P. O'Reilly, Reg. No. 27,932; Allen M. Sokal, Reg. No. 26,695; Robert D. Bajefsky, Reg. No. 25,387; Richard L. Stroup, Reg. No. 28,478; David W. Hill, Reg. No. 28,220; Thomas L. Irving, Reg. No. 28,619; Charles E. Lipsey, Reg. No. 28,165; Thomas W. Winland, Reg. No. 27,605; Basil J. Lewris, Reg. No. 28,818; Robert J. Gaybrick, Reg. No. 27,890; Martin J. Fuchs, Reg. No. 28,508; E. Robert Yoches, Reg. No. 30,120; Stephen J. Rosenman, Reg. No. 29,209; Barry W. Graham, Reg. No. 29,924; Thomas H. Jenkins, Reg. No. 30,857; and .....

..... Please address all correspondence to FINNEGAN, HENDERSON, FARABOW, GARRETT AND DUNNER, 1300 I Street, N.W., Washington, D.C. 20035, Telephone No. (202) 408-4000.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

FULL NAME OF SOLE OR FIRST INVENTOR <b>KEITH BENSON</b>	INVENTOR'S SIGNATURE 	DATE <b>13/12/96</b>
RESIDENCE <b>UNIT 9, 46a ROBSART STREET, PARKSIDE, SA, 5063, AUSTRALIA</b>		CITIZENSHIP <b>BRITISH</b>
POST OFFICE ADDRESS <b>UNIT 9, 46a ROBSART STREET, PARKSIDE, SA, 5063, AUSTRALIA</b>		
FULL NAME OF SECOND JOINT INVENTOR, IF ANY	INVENTOR'S SIGNATURE	DATE
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of

Inventor(s): BENSON, Keith

Group Art Unit:

Examiner:

Appln. No.: 08 / 782,244

series code ↑ ↑ serial no.

Filing Date: January 14, 1997

Title: IMPROVEMENTS RELATING  
TO MOBILE PHONES

Atty. Dkt: PM 268482 /  
M# / Client Ref.

## POWER OF ATTORNEY FROM ASSIGNEE AND REVOCATION OF PRIOR POWERS

Asst. Commissioner of Patents  
Washington, D.C. 20231

Sir:

The undersigned being the assignee of record in the above-entitled patent application as shown by the chain of title from the original owner to the assignee as recorded on:

1. Date	<u>January 14, 1997</u>	, Reel	<u>8402</u>	, Frame	<u>0948</u>
2. Date	<u>February 28, 2000</u>	, Reel	<u>010649</u>	, Frame	<u>0324</u>
3. Date	<u>February 28, 2000</u>	, Reel	<u>010638</u>	, Frame	<u>0132</u>

hereby revokes all previous powers and appoints, Intellectual Property Group, , , telephone (to whom all communications about this application are to be directed), and the below named persons (of the same address), individually and collectively, our attorneys to prosecute this patent application and to transact all business in the Patent and Trademark Office connected therewith and with the resulting patent:

Paul N. Kokulis	16773
Raymond F. Lippitt	17519
G. Lloyd Knight	17698
Kevin E. Joyce	20508
George M. Sirilla	18221
Donald J. Bird	25323
Peter W. Gowdey	25872
Dale S. Lazar	28872
Glenn J. Perry	28458
Kendrew H. Colton	30368
Paul E. White, Jr.	32011
G. Paul Edgell	24238
Lynn E. Eccleston	35861
David A. Jakopin	32995
Mark G. Paulson	30793

Timothy J. Klima	34852
Stephen C. Glazier	31361
Ruth N. Morduch	31044
Richard H. Zaitlen	27248
Roger R. Wise	31204
Jay M. Finkelstein	21082
Michael R. Dzwonczyk	36787
W. Patrick Bengtsson	32456
Jack S. Barufka	37087
Adam R. Hess	41835
William P. Atkins	38821
Paul L. Sharer	36004

FUNGE SYSTEMS INC.

Assignee

By GREGORY D. HAIGH

Name: Greg Haigh

Title: Vice President/General Counsel

August 10, 2000

Date

Atty/Sec: /